

OSSIA VMS - HARDWARE

PROVISION-ISR dedicated VMS hardware are planned, designed and built by Provision-ISR with the sole purpose of running OSSIA VMS: a top quality Central Management System allowing the user to view and manage multiple devices from remote.



IP-KEY02

KEYBOARD WITH JOYSTICK

Much more than a simple accessory

Provision-ISR IP-KEY-02 keyboard is an excellent addition for control rooms, headquarters or surveillance rooms. It allows you to control numerous Decoders and IP PTZ cameras and to choose the camera layout you want by a press of a button. The operator will be able to easily display up to 144 different channels located on 4 screens connected to the decoder and fully control IP PTZ cameras for quick focus on a specific object on the scene.



MAIN FEATURES

PTZ CAMERAS (IP ONLY)

- Total movement control
- Preset
- Cruise

DECODERS

- Layout control
- Live view
- Playback
- Alarm window
- PTZ control (IP and analogue)
- Sequencing channels



SPECIFICATIONS

LOCAL PARAMETERS

Display	LCD display, multi-language menu supported
Joystick	Four-dimensional joystick
Control keys	Divided by subject

NETWORK PARAMETERS


Network Interface	One RJ45 10/100M Adaptive Ethernet port
Control Mode	PTZ mode and platform (VMS) mode
Network Management	Configuration and upgrade VIA web

SERIAL PORT PARAMETERS

Serial Port	Two standard serial ports: RS485 × 1, RS232 × 1
Baud rate	1200bps, 2400bps, 4800bps, 9600bps, 19200bps

OTHERS

Power Supply	DC12V
Power Consumption	≤8W
Working Temperature	-10°C~+60°C
Working Humidity	10%~90%
Dimension	420(L) × 260(W) × 170 (H) mm
Weight	2.8kg



RELATED PRODUCTS

DECODER
DEC-0104(1U)



MANAGEMENT SERVER
OC-MS-XL(1U)

